

Civil

1. Fluid

is a substance that

- (a) cannot be subjected to shear forces
- (b) always expands until it fills any container
- (c) has the same shear stress.at a point regardless of its motion
- (d) cannot remain at rest under action of any shear force
- (e) flows.

Ans: d

- 2. Fluid is a substance which offers no resistance to change of
- (a) pressure
- (b) flow
- (c) shape
- (d) volume
- (e) temperature.

Ans: c

- 3. Practical fluids
- (a) are viscous
- (b) possess surface tension
- (c) are compressible
- (d) possess all the above properties
- (e) possess none of the above properties.

Ans: d

- 4. In a static fluid
- (a) resistance to shear stress is small
- (b) fluid pressure is zero
- (c) linear deformation is small
- (d) only normal stresses can exist
- (e) viscosity is nil.

- 5. A fluid is said to be ideal, if it is
- (a) incompressible
- (b) inviscous
- (c) viscous and incompressible



- (d) inviscous and compressible
- (e) inviscous and incompressible.

Ans: e

- 6. An ideal flow of any fluid must fulfill the following
- (a) Newton's law of motion
- (b) Newton's law of viscosity
- (c) Pascal' law
- (d) Continuity equation
- (e) Boundary layer theory.

Ans: d

- 7. If no resistance is encountered by displacement, such a substance is known as
- (a) fluid
- (b) water
- (c) gas
- (d) perfect solid
- (e) ideal fluid.

Ans: e

- 8. The volumetric change of the fluid caused by a resistance is known as
- (a) volumetric strain
- (b) volumetric index
- (c) compressibility
- (d) adhesion
- (e) cohesion.

Ans: c

- 9. Liquids
- (a) cannot be compressed
- (b) occupy definite volume
- (c) are not affected by change in pressure and temperature
- (GO are not viscous
- (e) none of the above.

Ans: e

- 10. Density of water is maximum at
- (a) 0°C



(b) 0°K (c) 4°C (d) 100°C (e) 20°C. Ans: c
12. The value of mass density in kgsecVm4 for water at 0°C is (a) 1 (b) 1000 (c) 100 (d) 101.9 (e) 91 Ans: d
14. Property of a fluid by which its own molecules are attracted is called (a) adhesion (b) cohesion (c) viscosity (d) compressibility (e) surface tension. Ans: b
15. Mercury does not wet glass. This is due to property of liquid known as (a) adhesion (b) cohesion (c) surface tension (d) viscosity (e) compressibility. Ans: c
16. The property of a fluid which enables it to resist tensile stress is known a (a) compressibility (b) surface tension (c) cohesion (d) adhesion (e) viscosity. Ans: c



17	. Property	of a	fluid	by w	hich	mol	ecules	of	different	kinds	of	fluids	are	attrac	ted
to	each other	r is ca	lled												

- (a) adhesion
- (b) cohesion
- (c) viscosity
- (d) compressibility
- (e) surface tension.

Ans: a

- 16. The specific weight of water is 1000 kg/m"
- (a) at norma] pressure of 760 mm
- (b) at 4°C temperature
- (c) at mean sea level
- (d) all the above
- (e) none of the above.

Ans: d

- 19. Specific weight of water in S.I. units is equal to
- (a) 1000 N/m3
- (b) 10000 N/m3
- (c) 9.81 xlO3 N/m3
- (d) 9.81 xlO6N/m3
- (e) 9.81 N/m3.

Ans: c

- 20. When the flow parameters at any given instant remain same at every point, then flow is said to be
- (a) quasi static
- (b) steady state
- (c) laminar
- (d) uniform
- (e) static.

- 21. Which of the following is demensionless
- (a) specific weight
- (b) specific volume
- (c) specific speed



1	'A'	۱۰	pec	ific	ar	·21	/it\/		
١	u	<i>)</i> 3	her	IIIC	уı	a٧	πų		

(e) specific viscosity.

Ans: d

- 22. The normal stress in a fluid will be constant in all directions at a point only if
- (a) it is incompressible
- (b) it has uniform viscosity
- (c) it has zero viscosity
- (d) it is frictionless
- (e) it is at rest.

Ans: e

- 23. The pressure at a point in a fluid will not be same in all the directions when the fluid is
- (a) moving
- (b) viscous
- (c) viscous and static
- (d) inviscous and moving
- (e) viscous and moving.

Ans: e

- 24. An object having 10 kg mass weighs 9.81kg on a spring balance. The value of 'g' at this place is
- (a) 10m/sec2
- (b) 9.81 m/sec2
- (c) 10.2/m sec
- (d) 9.75 m/sec2
- (e) 9 m/sec.

Ans: a

- 25. The tendency of a liquid surface to contract is due to the following property
- (a) cohesion
- (b) adhesion
- (c) viscosity
- (d) surface tension
- (e) elasticity.

- 26. The surface tension of mercury at normal temperature compared to that of water is
- (a) more



- (b) less
- (c) same
- (d) more or less depending on size of glass tube
- (e) none of the above.

Ans: a

- 27. A perfect gas
- (a) has constant viscosity
- (b) has zero viscosity
- (c) is incompressible
- (d) is of theoretical interest
- (e) none of the above.

Ans: e

- 32. For very great pressures, viscosity of moss gases and liquids
- (a) remains same
- (b) increases
- (c) decreases
- (d) shows erratic behaviour
- (e) none of the above.

Ans: d

- 33. A fluid in equilibrium can't sustain
- (a) tensile stress
- (b) compressive stress
- (c) shear stress
- (d) bending stress
- (e) all of the above.

Ans: c

- 34. Viscosity of water in comparison to mercury is
- (a) higher
- (b) lower
- (c) same
- (d) higher/lower depending on temperature
- (e) unpredictable.

Ans: a

35. The bulk modulus of elasticity with increase in pressure



- (a) increases
- (b) decreases
- (c) remains constant
- (d) increases first upto certain limit and then decreases
- (e) unpredictable.

Ans: a

- 36. The bulk modulus of elasticity
- (a) has the dimensions of 1/pressure
- (b) increases with pressure
- (c) is large when fluid is more compressible
- (d) is independent of pressure and viscosity
- (e) is directly proportional to flow.

Ans: b

- 37. A balloon lifting in air follows the following principle
- (a) law of gravitation
- (b) Archimedes principle
- (c) principle of buoyancy
- (d) all of the above
- (e) continuity equation.

Ans: d

- 38. The value of the coefficient of compressibility for water at ordinary pressure and temperature in kg/cm is equal to
- (a) 1000
- (b) 2100
- (c) 2700
- (d) 10,000
- (e) 21,000.
- Ans: e
- 39. The increase of temperature results in
- (a) increase in viscosity of gas
- (b) increase in viscosity of liquid
- (c) decrease in viscosity of gas
- (d) decrease in viscosity of liquid
- (e) (a) and (d) above.



- 40. Surface tension has the units of
- (a) newtons/m
- (b) newtons/m
- (c) new tons/m
- (d) newtons
- (e) newton m.

Ans: c